

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	7801	((709/227) or (709/202) or (709/203) or (709/229) or (709/230) or (709/238) or (709/239) or (709/240) or (707/200) or (707/200)).CCLS.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/13 20:07
S2	1927	((711/148) or (711/170) or (707/205)).CCLS.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/13 20:07
S3	0	("001and2").PN.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/13 20:07
S4	9545	S1 or S2	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/13 20:07
S5	94388	((("709") or ("707") or ("711") or ("345"))).CLAS.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/13 20:08
S6	0	("(networkadjareaadjstorage)").PN.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/13 20:09
S7	11	network adj area adj storage	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/13 20:09
S8	11	(network adj1 area adj1 storage)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/13 20:10
S9	1245	(network near1 area near1 storage)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/13 20:10
S10	1549	(network near2 area near2 storage)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/13 20:20
S11	402	S10 and S5	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/13 20:12
S12	79	S11 and ((data near3 path) or datapath)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/13 20:14
S13	2250	(construct or build or creat\$3) same (datapath or (data near3 path))	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/13 20:16
S14	11	S11 and((construct or build or creat\$3) same (datapath or (data near3 path)))	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/13 20:16

S15	1	S11 and((construct or build or creat\$3) same (datapath or (data near3 path))) and (candidate or substitute or replacement)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/13 20:20
S16	1	(network near2 area near2 storage) and((construct or build or creat\$3) same (datapath or (data near3 path))) and (candidate or substitute or replacement)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/13 20:21
S17	25	(network near2 area near2 storage) and((construct or build or creat\$3) same (datapath or (data near3 path)))	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/21 18:56
S18	3	(network near2 area near2 storage) and((construct or build or creat\$3) same (datapath or (data near3 path))) and heterogeneous	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/13 20:24
S19	17	S17 and @ad<"20010628"	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/13 20:42
S20	7	S17 and Param\$ and @ad<"20010628"	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/13 20:44
S21	2	(S17 and Param\$) and search\$3 and @ad<"20010628"	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/13 20:50
S22	3	(S17 and Param\$) and (search\$3 or find\$3 or look\$3) and @ad<"20010628"	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/13 20:46
S23	0	(S17 and Param\$) and ((search\$3 or find\$3 or look\$3)with storage) and @ad<"20010628"	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/13 20:46
S24	0	(S17 and Param\$) and ((search\$3 or find\$3 or look\$3)with network) and @ad<"20010628"	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/13 20:46
S25	27	(network near2 area near2 storage) and((construct or build or creat\$3) same (datapath or (data near3 path)))	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/21 18:56
S26	27	(network near2 area near2 storage) and((construct or build or creat\$3) same (datapath or (data near3 path) or data-path))	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/21 18:56
S27	42	(network near2 area near2 storage) and((construct or build or creat\$3) same (datapath or (data near3 path) or data-path))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 19:35
S28	2	"6754718".pn.	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 19:29

S29	2	"6824477".pn.	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 19:30
S30	2	"6754718".pn.	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 19:31
S31	3	"6834326".pn.	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 19:32
S32	2	"6824477".pn.	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 19:32
S33	2346	(network near2 area near2 storage)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 19:35
S34	189508	"SAN"	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 19:36
S35	1394	"SAN" and S33	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 19:36
S36	190460	"SAN" or S33	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 19:37
S37	1506	("SAN" or S33)same server	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 19:38
S38	42	((("SAN" or S33)same server) and ((factor\$5 or paramet\$5) with attribute)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 19:41
S39	1	((("SAN" or S33)same server) and (((factor\$5 or paramet\$5) with attribute) same (datapath or (data near3 path) or data-path))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 19:40
S40	12	((("SAN" or S33)same server) and ((factor\$5 or paramet\$5) with attribute) and ((construct\$3 or buil\$4 or creat\$3) same path)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 20:31
S41	0	((("SAN" or S33)same server) and ((factor\$5 or paramet\$5) with attribute) and ((construct\$3 or buil\$4 or creat\$3) same path) and datapath	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 19:41
S42	4	((("SAN" or S33)same server) and ((factor\$5 or paramet\$5) with attribute) and ((construct\$3 or buil\$4 or creat\$3) same ((data or packet)with path))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 19:42

S43	2	((("SAN" or S33)same server) and ((factor\$5 or paramet\$5) with attribute) and ((construct\$3 or buil\$4 or creat\$3) same ((data or packet)with path))and @ad<"20010628"	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 19:42
S44	12	((("SAN" or S33)same server) and ((factor\$5 or paramet\$5) with attribute) and (data near5 path)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 23:18
S45	4	((("SAN" or S33)same server) and ((factor\$5 or paramet\$5) with attribute) and (data near5 path)and @ad<"20010628"	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 20:33
S46	1506	((("SAN" or S33)same server)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 20:33
S47	1473	((("SAN" or (storage adj2 area adj2 network))same server)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 20:34
S48	1502	((("SAN" or (storage adj3 area adj3 network))same server)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 20:34
S49	7	((("SAN" or (storage adj3 area adj3 network))same server) and ((attribute or characteristic or quality) with ((data adj2 path) or datapath or data-path))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 20:38
S50	1	((("SAN" or (storage adj3 area adj3 network))same server) and ((attribute or characteristic or quality) with ((data adj2 path) or datapath or data-path)with (construc\$3 or buil\$4 or creat\$4))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 20:38
S51	1	((("SAN" or (storage adj3 area adj3 network))same server) and ((attribute or characteristic or quality) with ((data adj2 path) or datapath or data-path)with (construc\$3 or buil\$4 or creat\$4 or establish\$3))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 20:39
S52	1	((("SAN" or (storage adj3 area adj3 network))same server) and ((attribute or characteristic or quality) with ((data adj2 path) or datapath or data-path)with (construc\$3 or buil\$4 or creat\$4 or establish\$3)) and template	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 20:40

S53	1	((("SAN" or (storage adj3 area adj3 network))same server) and ((attribute or characteristic or quality) with ((data adj2 path) or datapath or data-path)) and template	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 20:41
S54	1	((("SAN" or (storage adj3 area adj3 network))same server) and ((attribute or characteristic or quality) with ((data adj2 path) or datapath or data-path)) and(((data adj2 path) or datapath or data-path)with (construc\$3 or buil\$4 or creat\$4 or establish\$3))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 20:42
S55	1	((("SAN" or (storage adj3 area adj3 network))same server) and ((attribute or characteristic or quality) with ((data adj2 path) or datapath or data-path)) and(((data adj2 path) or datapath or data-path or path)with (construc\$3 or buil\$4 or creat\$4 or establish\$3))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 20:42
S56	2	((("SAN" or (storage adj3 area adj3 network))same server) and ((attribute or characteristic or quality) with ((data adj2 path) or datapath or data-path)) and(((data adj2 path) or datapath or data-path or path)with (construct\$3 or buil\$4 or creat\$4 or establish\$3))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 20:44
S57	2	((("SAN" or (storage adj3 area adj3 network))same server) and ((attribute or characteristic or quality) with ((data adj2 path) or datapath or data-path)) and(((data adj2 path) or datapath or data-path or path)with (construct\$3 or buil\$4 or creat\$4 or establish\$3 or fabricat\$3))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 20:45
S58	9	((("SAN" or (storage adj3 area adj3 network))same server) and ((attribute or characteristic or quality) same ((data adj2 path) or datapath or data-path)) and(((data adj2 path) or datapath or data-path or path)same (construct\$3 or buil\$4 or creat\$4 or establish\$3 or fabricat\$3))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 20:49

S59	7	((("SAN" or (storage adj3 area adj3 network))same server) and ((attribute or characteristic or quality) same ((data adj2 path) or datapath or data-path)) and(((data adj2 path) or datapath or data-path or path)same (construct\$3 or buil\$4 or creat\$4 or establish\$3 or fabricat\$3)) and process	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 20:51
S60	4	((("SAN" or (storage adj3 area adj3 network))same server) and ((attribute or characteristic or quality) same ((data adj2 path) or datapath or data-path)) and(((data adj2 path) or datapath or data-path or path)same (construct\$3 or buil\$4 or creat\$4 or establish\$3 or fabricat\$3)) and process and @ad<"20010628"	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 20:52
S61	20772740	((("SAN" or (storage adj3 area adj3 network))same server) and ((attribute or characteristic or quality) same ((data adj2 path) or datapath or data-path)) and(((data adj2 path) or datapath or data-path or path)same (construct\$3 or buil\$4 or creat\$4 or establish\$3 or fabricat\$3)) and process and templateand @ad<"20010628"	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 20:52
S62	0	((("SAN" or (storage adj3 area adj3 network))same server) and ((attribute or characteristic or quality) same ((data adj2 path) or datapath or data-path)) and(((data adj2 path) or datapath or data-path or path)same (construct\$3 or buil\$4 or creat\$4 or establish\$3 or fabricat\$3)) and process and template and @ad<"20010628"	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 20:52
S63	3	((("SAN" or (storage adj3 area adj3 network))same server) and ((attribute or characteristic or quality) same ((data adj2 path) or datapath or data-path)) and(((data adj2 path) or datapath or data-path or path)same (construct\$3 or buil\$4 or creat\$4 or establish\$3 or fabricat\$3)) and process and (template or format)and @ad<"20010628"	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 20:55

S64	2	((("SAN" or (storage adj3 area adj3 network))same server) and ((attribute or characteristic or quality) same ((data adj2 path) or datapath or data-path)) and(((data adj2 path) or datapath or data-path or path)same (construct\$3 or buil\$4 or creat\$4 or establish\$3 or fabricat\$3)) and process and ((template or format) with defin\$3)and @ad<"20010628"	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 20:53
S65	0	((("SAN" or (storage adj3 area adj3 network))same server) and ((attribute or characteristic or quality) same ((data adj2 path) or datapath or data-path)) and(((data adj2 path) or datapath or data-path or path)same (construct\$3 or buil\$4 or creat\$4 or establish\$3 or fabricat\$3)) and process and ((template or format or pattern or stencil or model)with defined)and @ad<"20010628"	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 20:56
S66	4	((("SAN" or (storage adj3 area adj3 network))same server) and ((attribute or characteristic or quality) same ((data adj2 path) or datapath or data-path)) and(((data adj2 path) or datapath or data-path or path)same (construct\$3 or buil\$4 or creat\$4 or establish\$3 or fabricat\$3)) and process and ((template or format or pattern or stencil or model))and @ad<"20010628"	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 21:34
S67	2	((("SAN" or (storage adj3 area adj3 network))same server) and ((attribute or characteristic or quality) same ((data adj2 path) or datapath or data-path)) and(((data adj2 path) or datapath or data-path or path)same (construct\$3 or buil\$4 or creat\$4 or establish\$3 or fabricat\$3)) and process and ((template or format or pattern or stencil or model))and attribute and @ad<"20010628"	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 21:34
S68	2346	(network near2 area near2 storage)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 23:18

S69	0	((("SAN" or S68)same server) and ((factor\$5 or paramet\$5) with attribute) and (data near5 path) and (candidate with data with path))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 23:18
S70	0	((("SAN" or S68)same server) and ((factor\$5 or paramet\$5) with attribute) and (data near5 path) and (candidate with path))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 23:19
S71	12	((("SAN" or S68)same server) and ((factor\$5 or paramet\$5) with attribute) and (data near5 path))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 23:19
S72	0	((("SAN" or S68)same server) and ((factor\$5 or paramet\$5) with attribute) and (data near5 path) and (candidate same path))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 23:20
S73	0	((("SAN" or S68)same server) and ((factor\$5 or paramet\$5) with attribute) and (data near5 path) and (candidate same path))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 23:21
S74	0	((("SAN" or S68)same server) and ((factor\$5 or paramet\$5) with attribute) and (candidate same path))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 23:21
S75	8	((("SAN" or S68)same server) and (candidate same path))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 23:22
S76	4	((("SAN" or S68)same server) and (candidate with path))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 23:34
S77	4	((("SAN" or S68)same server) and (candidate with path) and ((construct\$3 or buil\$4 or creat\$4 or establish\$3 or fabricat\$3))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 23:35
S78	0	((("SAN" or S68)same server) and (candidate with path) and ((construct\$3 or buil\$4 or creat\$4 or establish\$3 or fabricat\$3) with datapath))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/21 23:35
S79	4	((("SAN" or S68)same server) and (candidate with path) and ((construct\$3 or buil\$4 or creat\$4 or establish\$3 or fabricat\$3) with path))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/22 20:53
S80	4	((("SAN" or "L1")same server) and (candidate with path) and ((construct\$3 or buil\$4 or creat\$4 or establish\$3 or fabricat\$3) with path))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/22 20:57

S81	3	((("SAN" or "L1")same server) and (candidate near3 path) and ((construct\$3 or buil\$4 or creat\$4 or establish\$3 or fabricat\$3) with path)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/22 20:59
S82	3	((("SAN" or "L1")same server) and (candidate near3 path)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/22 20:59
S83	4	((("SAN" or "L1")same server) and (candidate near5 path)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/22 21:01
S84	1218	(candidate near5 path)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/22 21:01
S85	180	(candidate near5 path) with data	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/22 21:01
S86	29	((candidate near5 path) with data) and ("SAN" or (storage adj2 area adj2 network))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/22 21:02
S87	29	((candidate near5 path) with data) and ("SAN" or (storage adj2 area adj2 network) or "storage area network")	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/22 21:08
S88	3	((candidate near5 path) with data) and ("SAN" or (storage adj2 area adj2 network)) and (attribute)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/22 21:04
S89	0	((candidate near5 path) with data) and ("SAN" or (storage adj2 area adj2 network)) and ((attribute) same performance)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/22 21:04
S90	0	((candidate near5 path) with data) and ("SAN" or (storage adj2 area adj2 network)) and ((attribute) same performance)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/22 21:04
S91	1	((candidate near5 path) with data) and ("SAN" or (storage adj2 area adj2 network)) and ((attribute) and performance)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/22 21:04
S92	1	((candidate near5 path) with data) and ("SAN" or (storage adj2 area adj2 network)) and ((attribute) and performance) and default	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/22 21:04